

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-15-293  
Relating to Certification of New Motor Vehicles

NISSAN MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1996 model-year Nissan Motor Co., Ltd. exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: TNS3.0VJGFHK Displacement: 3.0 Liters (180.6 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Dual Three Way Catalytic Converters  
Dual Turbochargers  
Exhaust Gas Recirculation  
Dual Charge Air Coolers  
Sequential Multiport Fuel Injection  
Dual Warm Up Three Way Catalytic Converters  
Dual Heated Oxygen Sensors (two)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards (in-use compliance standards in parentheses) for this engine family in grams per mile are:

<u>Miles</u>	<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>	<u>Carbon Monoxide (20°F)</u>
50,000	0.25 (0.32)	3.4 (5.2)	0.4 (0.4)	10.0 (10.0)
100,000	0.31 (n/a)	4.2 (n/a)	0.6 (n/a)	n/a

The certification exhaust emission values for this engine family in grams per mile are:

<u>Miles</u>	<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>	<u>Carbon Monoxide (20°F)</u>
50,000	0.14	0.6	0.2	6.6
100,000	0.15	0.6	0.2	n/a

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average non-methane organic gas (NMOG) exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That, based on a separate compliance plan submitted by the vehicle manufacturer, the listed vehicle models are permitted alternative in-use compliance as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the submitted alternative in-use compliance plan satisfies the requirement that a maximum of 20 percent of the manufacturer's projected sales of 1996 model-year California-certified passenger cars and light-duty trucks will be subject to alternative in-use compliance as stipulated in the above-referenced standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the 50,000-mile evaporative emission standards applicable to 1980 through 1994 model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles", and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That, based on the evaporative emission phase-in compliance schedule submitted by the vehicle manufacturer, the listed vehicle models shall not be subject to the running loss and useful life standards set forth in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".


BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 9th day of August 1995.



R. B. Summerfield  
Assistant Division Chief  
Mobile Source Division

## 1996 MODEL-YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 1

## PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: NISSAN MOTOR CO., LTD. Exh Eng Fam: TNS3.OVJGFHK Evap Fam: TNS1057BYMAA

All Eng Codes in Eng Fam: CA 49S 50S X AB965

Exh Std: CA Tier-1 X TLEV LEV ULEV ZEV ; US EPA Tier-1 X

Evap Std: 50K X Useful Life with R/L In-Use Exh Std: Full In Use Alt In Use <sup>1/</sup>X

Veh Class(es): PC X LDT1 LDT2 MDV1 MDV2 MDV3 MDV4 MDV5

Single Cert Std for Multi-Class Eng Fam: N/A (specify: N/A, LDT1, MDV1, MDV2, MDV3, MDV4)

Fuel Type(s): Dedicated Flex-Fuel Dual-Fuel Bi-Fuel Gasoline X Diesel

CNG LNG LPG M85 Other (specify)

Emiss Test Fuel(s): Indo X Ph2 CNG LPG M85 Other (specify)

Diesel: 13 CCR 2282 40 CFR 86.113-90 40 CFR 86.113-94

Service Accum: Std AMA X Mod AMA Mfr ADP Other (specify)

NMOG Test Procedure: N/A X Std Equiv R/L Test Proc: SHED Pt Source

Hybrid: Type A B C , APU Cycle (e.g., Otto, Diesel, Turbine)

Engine Configuration: V6 Displacement: 3.0 Liters 180.6 Cubic Inches

Valves per Cylinder: 4  
Rated HP: 300 @ 6400 RPM (M5)  
280 @ 6400 RPM (L4)

Engine: Front X Mid Rear Drive: FWD RWD X 4WD-FT 4WD-PT

Exhaust ECS (eg., EGR, MFI, TC, CAC): 2TWC/2TC/EGR/2CAC/SFI/2WUTWC/2H2OS(2) <sup>1/</sup>

(use abbreviations per SAE J1930 SEP91)

## 1996 MODEL-YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 2

## PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

(continued)

Manufacturer: NISSAN MOTOR CO., LTD. Exh Eng Fam: TNS3.0VJGFHK Evap Fam: TNS1057BYMAA

Engine Code:	Vehicle Models:	Trans. :	ETW	DPA	Ignition :	EGR	Catalytic:
(also list :	(if coded see :	(M5,A4	or	or	(ECM/PCM):	System	Converter:
CA/49ST/	attachment)	etc.)	Test Wt:	RLMP	Part No.	Part No.	Part No.
50ST)							
AV30TAM1	NISSAN	M5	7.9	ECM		TWC:	
(50ST)	300ZX TURBO			A18-D70		48P	
				(Before		WUTWC:	
				R/C No.			
				T30VJGFH-		JLxxx9	
				01)		(LH):	
				A18-F72		JRxxx8	
				(After		(RH):	
				R/C No.			
				T30VJGFH-			
				-01) 1/			
				(Before			
				F/F No.			
				T30VJGFH-			
				03)			
				A18-H55			
				(After			
				F/F No.			
				T30VJGFH-			
				03) 3/			
			3875			AESA	
AV30TAA1	NISSAN		7.5*	ECM		123-25	
(50ST)	300ZX TURBO	A4		A18-D71			
				(Before			
			8.0**	R/C No.			
				T30VJGFH-			
				01)			
				A18-F73			
				(After			
				R/C No.			
				T30VJGFH-			
				-01) 1/			
				(Before			
				F/F No.			
				T30VJGFH-			
				03)			
				A18-H56			
				(After			
				F/F No.			
				T30VJGFH-			
				03) 3/			

\* With MICHELIN tire \*\* With GOODYEAR tire

1/ With R/C No. V30VJGFH-01 2/ With R/C No. T30VJGFH-02 3/ With F/F No. V30VJGFH-03

Issue Date : 05/29/95

Revision Date : 1/ 09/11/95 2/12/21/95 3/ 12/09/96